09681844

L Number	Hits	Search Text	DB	Time stamp
1	52	(((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:16
2	42	((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (component or internal or device or module or handl$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11
3	45	((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp

4	37	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (component or internal or device or module or handl$5 or program or application or code)) and (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:10
5	19	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (cach$5 or prox$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11
6	21	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 with (cach$5 or prox$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11

| 7 | 20 | (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (component or internal or device or module or handl$5 or program or application or code)) and (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data))) and (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 with (cach$5 or prox$3)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:12 |

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp

| 8 | 22 | (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (component or internal or device or module or handl$5 or program or application or code)) not ((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (component or internal or device or module or handl$5 or program or application or code)) and (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data))) and ((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5)) same intercept$5) and intercept$5 with (cach$5 or prox$3))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/04 00:02 |

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp

9	8302	(((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:17
10	256	((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:22
11	2	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 near5 internal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

| 12 | 85 | (((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:24 |
| 13 | 69 | ((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:25 |

| 14 | 29 | (((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:25 |
| 15 | 55 | (((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and execut$5 near5 (application or program or code or servlet or execut$5 or software) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:26 |

| 16 | 23 | ((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) and (((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and execut$5 near5 (application or program or code or servlet or execut$5 or software)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:27 |

-	1	(("6507867").PN.) and (execut$5 or download$5 or load$5 or request$5 or access$5 or servic$5 or provid$5 or interact$5) near3 (local$5 or cach$5 or offline or off?line) with (storage or memory or drive or web or application or program or softwar$3 or execut$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 20:47
-	98388	((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:41
-	8302	(((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:02
-	19	(((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) same (download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (logic or application or porgram or software or code or servlet or execut$6) near5 portion near5 (local$3 or cach$5 or server or origin$5 or remot$5) near5 stor$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:47

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp

-		1	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) same (download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (logic or application or porgram or software or code or servlet or execut$6) near5 portion near5 (local$3 or cach$5 or server or origin$5 or remot$5) near5 stor$5) and (request$5 or access$5 or download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (transaction or logic or application or porgram or software or code or servlet or execut$6) with transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:49
-		2	(((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) same (download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (logic or application or porgram or software or code or servlet or execut$6) near5 portion near5 (local$3 or cach$5 or server or origin$5 or remot$5) near5 stor$5) and (request$5 or access$5 or download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5 or application or program or data) with transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 23:55

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp

| 17 | | 6 | (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) not (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) and (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:36 |

| 18 | | 4 | (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) not ((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) and ((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:38 |

or internal or device or module or
handl$5 or program or application or

| 19 | 4 | (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) not (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or code)) and intercept$5 with (redirect$5 or rout$3 or rerout$5 or pass$5) with (reques$5 or access$5 or receiv$5 or download$5 or transfer$5 or application)) and intercept$5 near5 (redirect$5 or rout$3 or rerout$5 or pass$5)) and cach$5 near5 (application or program or code or servlet or execut$5 or software)) and (((((((((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5 or load$5) near3 (application or porgram or software or code or servlet or execut$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut$6 or portion))) near5 (workstation or client or user or device or computer or cach$5 or local$5 or storage))) same ((download$ or transfer$5 or obtain$5 or receiv$5 or retriev$5) near3 (logic or application or porgram or software or code or servlet or execut$6 or portion) near5 (server or origin$5 or remot$5 or prox$5))) and intercept$5 near5 (request$5 or access$5 or download$5 or transfer$5 or data or application or program) with (component or internal or device or module or handl$5 or program or application or | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/01/03 22:38 |

20	2	("20020138640").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/04 00:02

C:\APPS\EAST\Workspaces\09681844and 666246amd.wsp